



China 6203 Bearing Supplier



32217jr Bearing 2D drawings and 3D CAD models

Made in Japan Koyo Brand Bearing 32217jr Metric Taper Roller Bearing

Bearing No. 32217jr

Size	85x150x38.5 mm
Bore Diameter	85 mm
Outer Diameter	150 mm
Width	38,5 mm
d	85 mm
D	150 mm
T	38,5 mm
B	36 mm
C	30 mm
a	34,2 mm
r min.	2,5 mm
r2 min.	2 mm
da min.	97 mm
da max	96 mm
Da min	130 mm
Da max.	140 mm
Db min.	142 mm
ra max.	2 mm
rb max.	2 mm
Weight	2,8 Kg
Basic dynamic load rating (C)	232 kN
Basic static load rating (C0)	315 kN
(Grease) Lubrication Speed	2500 r/min
(Oil) Lubrication Speed	3400 r/min
Calculation factor (e)	0,42



China 6203 Bearing Supplier

Calculation factor (Y0)	0,79
Category	Tapered Roller Bearing Assemblies
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	3.024
EAN	0605790021879
Product Group	B04334
Precision Class	Standard
Component	Assembly
Basic Number	32217
Number of Tapered Rows	Single Row
Inch - Metric	Metric
Other Features	High Load Capacity
Long Description	Assembly; Standard Precision; 85MM Bore; 150MM Outside Diameter; 38.5MM Assembly Width; Single Row of Rollers
Category	Tapered Roller Bearings Assembly
UNSPSC	31171516
Harmonized Tariff Code	8482.20.00.00
Noun	Bearing
Keyword String	Tapered
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	32217JR
Weight / LBS	6.173
Bore	3.346 Inch 85 Millimeter
Assembly Width	1.516 Inch 38.5 Millimeter
Flange Outside Diameter	0 Inch 0 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
Bearing No.	32217JR



China 6203 Bearing Supplier

r(min)	2.5
r1(min)	2
Cr	290
C0r	315
Cu	47.5
Grease lub.	2500
Oil lub.	3400
a	34.2 mm
da(min)	97
db(max)	96
Da(max)	140
Da(min)	130
Db(min)	142
Sa(min)	5
Sb(min)	8.5
ra(max)	2
rb(max)	2
e	0.42
Y1	1.43
Y0	0.79
(Refer.) Mass(kg)	2.80